



**MCR
SAFETY**

N9690FC

Ninja Dipped

Specification Sheet

PRODUCT DESCRIPTION:

MCR Safety Ninja® gloves are engineered to provide the highest level of innovation. Each of the offerings in the Ninja® series include a unique shell and polymer combination incorporating the latest in hand protection technology. Our Ninja® Glove Line offers the greatest assortment of dexterity, sense of touch, and protection. The Ninja® Ice Fully Coated gloves features a 15 gauge black nylon shell with a 7 gauge acrylic terry interior liner. Black HPT fully coated glove. SUPPORTED HAND PROTECTION, Innovative Supported Styles with Seamless Shells, The Next Generation in Hand Protection?, ?Ninja® Ice Fully Coated?, 15 Gauge Black Nylon Exterior/7 Ga Acrylic Terry Interior shell, Black HPT Fully Coated, Treated with Liquid Repellent Technology. "Ninja Ice FC" Double layer glove 7 gauge Acrylic Terry Liner on the inside and a 15 gauge Nylon liner. Full dipped HPT coating on the outside and treated with a liquid repellent technology Ninja Ice logo with CE scoring and size. CE:3232



FEATURES:

- Acrylic Terry liner for insulation / warmth.
- Black HPT repels liquids while providing strong wet or dry grip
- Fully coated for maximum protection
- Coating remains soft in temperatures as low as -58 F

APPLICATIONS:

Cold storage applications, Commercial fishing, Frozen food packaging, Agriculture, Construction, Material Handling

TECHNICAL DATA FOR: N9690FCL

Series	Ninja	EN 388 : CE Score - Abrasion	3
Material Group	Strings	EN 388 : CE Score - Cut	2
Product Type	Dipped	EN 388 : CE Score - Tear	3
Glove Size	Large	EN 388 : CE Score - Puncture	2
Gauge	15 / 7 Gauge	ANSI Cut	ANSI Cut A3
Material	Nylon / Acrylic	ANSI Puncture	ANSI Puncture 2

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2018 MCR Safety - All Rights Reserved



MCR
SAFETY

N9690FC

Ninja

Dipped

Specification Sheet

Insulated Lining


Insulated Acrylic

ANSI Abrasion
ANSI Contact Heat

ANSI Abrasion 3
Level 2 (Applications less than 284 degrees F)

Made In

Pakistan



Item No:	Size:	A:	B:	C:	Case Weight	UOM Weight
N9690FCXL	X - Large	11.024	4.528	N/A	30.114 lb.	5.019
N9690FCL	Large	10.228	4.331	N/A	28.194 lb.	4.699
N9690FCM	Medium	9.843	4.134	N/A	18.996 lb.	3.166
N9690FCXXL	XX - Large	11.417	4.764	N/A	31.398 lb.	5.233

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2018 MCR Safety - All Rights Reserved