



Precision, Quality, Innovation

BAND SAW BLADES

Bi-Metal

Carbide Tipped

Carbide Grit

Carbon

Portaband

Diamond Grit

Wood Cutting

Food Processing

Power Hacksaws

Accessories

Services

Catalog 60R



PRECISION, QUALITY, INNOVATION

For more than 135 years, manufacturers, builders and craftsmen worldwide have depended upon saws and precision tools from The L.S. Starrett Company to ensure the consistent quality of their manufacturing processes.

They know that the Starrett name on saw blades, hand tools and measuring tools means exceptional quality, innovative products and expert technical assistance.

With strict quality control, state-of-the-art equipment and an ongoing commitment to producing products with superior quality, the 5,000 plus products in today's Starrett line continues to be the most accurate, robust and durable tools available.

This catalog features Starrett Band Saw Blades, their applications and characteristics.

INTRODUCTION

Starrett has been involved in precision tool manufacturing since 1880, sold products worldwide since the 1890s and introduced its first saw blade around 1890.

06

CHOOSING THE RIGHT BLADE

Terminology, Tooth shapes, Band Saw Blade characteristics, as well as PowerCalc, a mobile application that assists in the correct choice of the band saw blade.

10

BI-METAL SAW BLADES

The best solution for cutting a variety of ferrous and non-ferrous materials. These saws suit all cutting, economic or high production needs for any model of machine.

17

CARBIDE TIPPED

Ideal for cutting extremely hard, abrasive materials. Withstands extreme cutting pressures and offers a high resistance to wear and fatigue.

27



BAND SAW BLADES



CARBIDE GRIT, DIAMOND GRIT

Band saw blades coated with carbide grit or diamond grains are ideal for cutting abrasive materials with precision and excellent finish.

33



CARBON

Suitable for horizontal and vertical machines with manual or gravity feed. A complete line with a wide range of widths, tooth pitches and shapes.

35



WOOD CUTTING

A selection of carbon and bi-metal blades ideal for a variety of wood cutting applications.

41



FOOD PROCESSING

Constructed of the best quality specialty steels, polished and hardened to resist corrosion and contamination. These blades are the ideal choice for accuracy and efficiency at any food processing plant.

45

POWER HACKSAWS

The Bi-Metal or Solid High-Speed Steel (HSS) Power Hacksaw blades are manufactured by Starrett, available in metric and inch.


51



RECOMMENDATIONS

Recommendations to ensure longer life and better blade performance. Break-in and installation instructions.

57



ACCESSORIES

Pocket Laser Tachometer kit with case, Band Saw Blade Tension Gage and Band Saw Blade Alignment Gage.

60



RESOURCES

Find information on the Starrett website, PDF documents, and the new PowerCalc App to get the best performance from your band saw blade.

61



BAND SAW BLADES

FACTORIES AROUND THE WORLD



1-Athol, Massachusetts, USA



2-Laguna Hills, California, USA



3-Waite Park, Minnesota, USA



4-Cleveland, Ohio, USA





5-Mount Airy, North Carolina, USA



6-Columbus, Georgia, USA



7-Itu, São Paulo, Brazil



8-Suzhou, China



TERMINOLOGY

A-WIDTH

Tip of the cutting edge to the back of the blade.

B-BLADE BODY

Distance between the back of the blade and the gullet.

C-LENGTH

Measurement along the back edge of the blade.

D-THICKNESS

Measurement of the body of the blade.

E-BACK EDGE

Opposite side of the blade from the teeth.

F-TOOTH PITCH

Distance from the tip of one tooth to the next tip.

G-TEETH PER INCH/25MM

Number of teeth (constant pitch) per inch (25.4mm).

H-GULLET

The curved area between two teeth, where the chips accumulate until being removed.

I-TOOTH FACE


Surface of the tooth where the chip is formed. The tooth can have a positive, negative or straight angle. (Rake)


J-TOOTH SET

The side bending of the teeth to allow blade clearance through the cut.

K-BACK ANGLE

Angle formed by the back of the teeth and a parallel line to the tip of the same.





CHOOSING THE RIGHT BLADE

1 QUICK GUIDE




Performance

Ferrous



Aluminum



Tubes and Profiles



Carbon Steel



Carbon Steel Alloys



Cast Iron



Copper Alloys



High-speed steel



Stainless Steel

		Aluminum	Tubes and Profiles	Carbon Steel	Carbon Steel Alloys	Cast Iron	Copper Alloys	High-speed steel	Stainless Steel
Bi-Metal	TENNAX™ - PRO Page 19		★★★						
	Primalloy™ Page 20				★★★	★★★	★★★	★★★	★★
	Intenss™ PRO-VTH Page 21				★★			★★	★★★
	Intenss™ PRO Page 22	★★	★★	★★★	★★★	★★	★★	★★	★★
	Intenss™ PRO-DIE Page 23	★★	★★	★★★	★★★	★★	★★	★★	★★
	Intenss™ Page 24	★★	★★	★★	★	★★	★		
	Univerz™ Page 25	★	★★	★					
Carbide	Advanz™ MC7 Page 28	★★		★★★	★★★	★★	★★	★★★	★★★
	Advanz™ MC5 Page 29	★★★		★★	★★	★★★	★★★	★★★	★★
	Advanz™ TS Page 30	★		★★	★★	★	★	★	★
	Advanz™ CS** Page 31								
	Advanz™ FS* Page 32	★★★				★★★	★★★		
	Advanz™ CG Page 33								
Diamond	Advanz™ DG Page 34								
Carbon	Duratec™ SFB Page 36	★	★	★					
	Duratec™ FC Page 38								
	Band Knives Page 39								

*Foundry-Gates and Risers

**Induction or Case Hardened


Ferrous				Non-Ferrous	
					
Tool Steel - Hot Work	Tool Steel - Cold Work	Nickel and Titanium Alloys	Steel with Hardness Above 45HRC	Composite Materials and Abrasives	Foam, Paper, Plastic and Rubber
***	***	**			
**	**	***			
**	**	*			
**	**	*			
***	***	***	***		
**	**	**	**		
*	*	**	**		

			***	***	

				**	

CHOOSING THE RIGHT BLADE

2 TOOTH SHAPES



Contant
Pitch



Variable
Pitch



.8-1.3 to
14-18



1-1.2 to
4-6



2-3 to
10-14



6 to 32



2-3 to
14-18



2 to 6



3 to 6



1 to 3



.9-1.1 to
3-4



Primalloy™/Intenss™ PRO/Intenss™ PRO-DIE/Univerz™

- Positive Rake angle
- Double back angle
- Fast and efficient chip clearance
- Excellent choice for a wide range of cuts

Intenss™ PRO-VTH

- Variable tooth height providing pulsating action
- Easy penetration
- Ideal for cutting hard and difficult to machine materials

TENNAX™ - PRO

- Increased resistance to wear and tooth breakage
- Positive Rake angle
- Ideal for cutting pipes, tubes and structural profiles

Intenss/Duratec™ SFB/Duratec™ FC/Univerz™

- Neutral angle
- Shock resistant
- Excellent choice for a wide range of cuts
- Suitable for all types of machines

Duratec™ SFB/Intenss™ PRO-DIE

- Positive Rake angle, extremely aggressive
- Faster cuts
- Suitable for cutting ferrous and non-ferrous metals

Duratec™ SFB

- Neutral angle
- Shock resistant
- Suitable for cutting ferrous and non-ferrous metals

Advanz™ MC7/Advanz™ MC5/Advanz™ TS/Advanz™ CS/Advanz™ FS

- Differential tooth design, accurately ground
- Triple chip tooth geometry
- Faster cuts
- Ideal for cutting hard and difficult to machine materials

Advanz™ CG/Advanz™ DG

- Cutting edge coated with grains, continuous or with gullet
- Suitable for cutting abrasive or hardened materials

CHOOSING THE RIGHT BLADE

TOOTH



Constant Pitch

All teeth on the blade have uniform spacing, gullet depth and rake angle throughout the full length. Typically for general purpose cutting. Identified by one pitch number.



Variable Pitch


Size of tooth and depth of gullet varies to substantially reduce noise levels and vibrations. Cuts all structurals, tubing and solids smoothly and quickly. Identified by two pitch numbers.

SETS




Raker

A recurring sequence of teeth set left and right, followed by one tooth unset. Frequency of unset teeth on variable pitch blades varies depends on the tooth configurations.



Alternate

A recurring sequence of teeth set alternately left and right.



Wavy

Groups of teeth set to each side of the blade, with varying amounts of set in a controlled pattern.




Trapezoid

Special carbide cylinder, welded to an alloy backer, then precision ground with a high/low tooth form.

CHOOSING THE RIGHT BLADE

3 BLADE WIDTH

Use the blade width recommended by the machine manufacturer, except for contour cutting in vertical machines when you should use the chart below.



4 PITCH

Pitch is the number of teeth per inch/25mm. Cutting thinner sections requires a finer pitch (more teeth per inch/25mm). Thick sections require coarser pitches (fewer teeth per inch/25mm).

The charts are good guidelines. Because the cross section limits in the chart are broad and overlap, choose a coarser pitch if the speed of cut is most important.

Section to be Cut (in)	Constant Pitch (TPI)	Variable Pitch
5/32" to 3/8"	32 or 24	14-18
1/4" to 1/2"	18 or 14	10-14
1/2" to 3/4"	14 or 10	8-12
3/4" to 1"	10 or 8	6-10
1" to 1-1/2"	8 or 6	5-8
1-1/2" to 3-1/2"	6 or 4	4-6
3-1/2" to 7"	4 or 3	3-4
7" to 10"	3	2-3
10" to 16"	—	1/4-2
14" to 20"	1/3	1-2
16" to 32"	1/3	1-1/2
Over 30"	1	.8-1/3/.9-1/1

- For cutting tubes and profiles, use the horizontal line to find the outside diameter (tube) or the largest section (profile). Find the thickness (tube/profile) using the vertical column. With that information, cross them to find the recommended pitch (chart below).

Tubes and Profiles

Wall Thickness in	Outside diameter of tube or maximum profile section length (in)												
	3/8"	3/4"	1-5/8"	2-3/8"	3-1/4"	4"	4-3/4"	6"	8"	12"	16"	20"	24"
3/32"	14-18	14-18	10-14	10-14	10-14	10-14	8-12	8-12	8-12	8-12	6-10	6-10	5-8
1/8"	10-14	10-14	10-14	10-14	10-14	8-12	8-12	8-12	6-10	6-10	6-10	5-8	5-8
5/32"		8-12	8-12	8-12	8-12	6-10	6-10	6-10	5-8	5-8	4-6	4-6	4-6
3/16"		6-10	6-10	6-10	6-10	5-8	5-8	5-8	5-8	4-6	4-6	4-6	4-6
1/4"		5-8	5-8	5-8	5-8	5-8	5-8	5-8	4-6	4-6	4-6	4-6	3-4
5/16"			4-6	4-6	4-6	4-6	4-6	4-6	4-6	4-6	3-4	3-4	3-4
3/8"			4-6	4-6	3-4	3-4	3-4	3-4	3-4	3-4	3-4	2-3	2-3
1/2"				4-6	3-4	3-4	3-4	3-4	3-4	3-4	2-3	2-3	2-3
5/8"				4-6	3-4	3-4	3-4	3-4	3-4	2-3	2-3	2-3	2-3
3/4"				4-6	3-4	3-4	3-4	3-4	3-4	2-3	2-3	2-3	2-3
1"					3-4	3-4	3-4	3-4	2-3	2-3	2-3	1/4-2	1/4-2
1-1/4"					3-4	3-4	3-4	3-4	2-3	2-3	2-3	1/4-2	1/4-2
1-5/8"						3-4	3-4	3-4	2-3	2-3	2-3	1/4-2	1/4-2
2"							3-4	3-4	2-3	2-3	1/4-2	1/4-2	1-1/2
2-3/8"									2-3	2-3	1/4-2	1/4-2	1-1/2

5 BLADE LENGTH

The blade length varies according to the band saw machine type and specifications. Please find the correct blade length in your band saw machine user manual.



ON-SITE TECHNICAL SUPPORT

Starrett Saw Specialists are available to tune up and perform preventative maintenance on your production sawing machine using Starrett Band Saw Blades, at no additional cost. They fully review machine condition, blade mounting and operation in detail, making adjustments, as required, to help maintain good sawing and long life for both the machine and blades.

GUARANTEED BLADE SATISFACTION TRIAL PROGRAM

As a part of our Test & Trial Blade Program, Starrett Saw Specialists conduct on-site saw tests to observe your current blade performance and specific saw application. Our band saw testing process drives a data-driven approach to optimize performance and lower your cost per cut.

TRAINING

Starrett Saw Specialists can also instruct saw operators on achieving the best performance of blade and machine for your applications. Contact Starrett directly or your nearest Starrett distributor about arranging a visit to your workplace by a Starrett Saw Specialist.

The L.S. Starrett Company
121 Crescent Street
Athol, MA 01331-1915 - U.S.A
Tel: (978) 249-3551
www.starrett.com | sales@starrett.com



PRECISION MAKES THE DIFFERENCE

PowerCalc

Starrett PowerCalc Band Saw Selector is an application that runs on any mobile device. PowerCalc selects the best band saw blade for the specified cutting application.

SPECIFY

- Band saw machine being used to make the cut
- Shape and composition of the material to be cut
- Details regarding any bundling of the material
- Whether or not it will be a cooled cut

PowerCalc automatically displays:


- Recommended Starrett saw blade
- Blade break-in information
- Cooling recommendations
- Cutting time and speed recommendations

Starrett®

(978) 249-3551 • starrett.com

The PowerCalc App is available on the following sites:






BI-METAL BAND SAW BLADES

Bi-METAL

TENNAX™-PRO

NEW
PRODUCT



The new bi-metal **TENNAX-PRO Band Saw Blades** by Starrett deliver next generation cutting performance on pipes, tubes, and structural profiles. TENNAX-PRO blades outperform competitive blades with lower noise, heat and vibration, and up to 25% more cuts per blade.

TENNAX-PRO Band Saw Blades replace Starrett Versatix MP. For cross reference support, please visit starrett.com

FEATURES

- New tooth geometry developed for cutting pipes and structural material profiles
- M42 High Speed Edge
- Exclusive tooth setting process

BENEFITS

- High level of productivity in extreme cutting processes used for pipes, profiles and structural materials
- Increased resistance to wear and tooth breakage
- Low noise, low vibration and improved cutting performance

APPLICATIONS

- Pipes, tubes, and structurals
- Small solids
- Bundles
- For all machines: manual, hydraulic, gravity fed, etc.

Width x Thickness in	mm	Pitch/Rake	Material No.
3/4 x .035	19 x 0.90	4-6/TX-P-H	99567
		5-8/TX-P-H	99568
		6-10/TX-P-H	99569
		8-12/TX-P-H	99570
		10-14/TX-P-H	99571
1 x .035	27 x 0.90	3-4/TX-P-H	99572
		4-6/TX-P-H	99573
		5-8/TX-P-H	99574
		6-10/TX-P-H	99575
		8-12/TX-P-H	99576
1-1/4 x .042	34 x 1.10	10-14/TX-P-H	99577
		2-3/TX-P-H	99578
		3-4/TX-P-H	99579
		4-6/TX-P-H	99580
		5-8/TX-P-H	99581
1-1/2 x .050	41 x 1.30	6-10/TX-P-H	99582
		2-3/TX-P-H	99583
		3-4/TX-P-H	99584
		4-6/TX-P-H	99585
		5-8/TX-P-H	99586
2 x .063	54 x 1.60	2-3/TX-P-H	99587
		3-4/TX-P-H	99588
		4-6/TX-P-H	99589
2-5/8 x .063	67 x 1.60	2-3/TX-P-H	99590
		3-4/TX-P-H	99591

TX - TENNAX-PRO tooth profile | P - Positive rake | H - Heavy set

3/4" to 1-1/4" sizes available in 150' (45m) and 250' (75m) coils. 1-1/2" and 2" sizes available in 150' (45m) coils.

2-5/8" size available only in welded blades.

All coils supplied within plus or minus 10% of ordered size.

Furnished in welded bands for all widths, or in random coils for 3/4" to 2" widths. Special products on request.

BI-METAL

PRIMALLOY™



FEATURES

- Special high-speed steel edge
- Exclusive tooth geometry with positive rake angle
- Extended Life Treatment (EXT)-ensures maximum fatigue life
- Ground teeth


BENEFITS

High content of Cobalt and Vanadium guarantee:

- High production, longer operating blade life with high quality surface finishing
- Increased wear and heat resistance
- Easy penetration in hard and difficult to machine materials, increasing the blade performance
- Cost-effective over conventional bi-metal blades

APPLICATIONS

- Tool steel and high-speed steel
- Stainless steels
- Nickel and titanium alloys
- Hardened steel
- For machines with hydraulic feed control



Width x Thickness		Pitch/Rake	Material No.
in	mm		
1-1/4 x .042	34 x 1.10	2-3/IP-P-R	99801
		1.4-2/IP-P-R	99803
1-1/2 x .050	41 x 1.30	2-3/IP-P-R	99804
		3-4/IP-P-R	99805
2 x .063	54 x 1.60	2-3/IP-P-R	99807
		3-4/IP-P-R	99808
2-5/8 x .063	67 x 1.60	1-1.2/IP-P-R	99809

IP - Intensts™tooth profile | P - Positive rake | R - raker set

1" to 1-1/4" sizes available in 150' (45m) and 250' (75m) coils. 1-1/2" and 2" sizes available in 150' (45m) coils. 2-5/8" sizes available only in welded blades.

All coils supplied within plus or minus 10% of ordered size.

Furnished in welded bands for all widths, or in random coils for 1" to 2" widths.

Special products on request.



EXTENDED LIFE TREATMENT (EXT)

The Starrett Primalloy Band Saw product line applies a proprietary Extended Life Treatment (EXT) to its alloy steel backing material. This process, in addition to controlled blast peening, enhances the fatigue life of the blade. The EXT applied during the peening operation adds increased residual stress into the surface of the blade. Higher stress levels aid in the reduction of fatigue cracks that originate along microscopic grain boundaries. The benefits of extended life treatment are proven with X-Ray Diffraction (XRD) and extensive mechanical fatigue tests. This process will soon be applied to most Starrett bi-metal and carbide tip product lines.

BI-METAL

INTENSTM PRO-VTH

bi-metal unique[®]

Starrett[®] IntensTM PRO-VTH

FEATURES


- Uniquely designed tooth edge with variable height and set
- Positive rake, ground teeth

BENEFITS

- Easy penetration for faster cuts
- Excellent heat and wear resistance
- Pulsating action allow the teeth to penetrate, resulting in faster cuts

APPLICATIONS

- Tool steel and high-speed steel
- Stainless steels
- Aluminum bronze alloys
- For machines with hydraulic feed control
- Ideal for cutting all steels and non-ferrous metals up to 40 HRC



BI-METAL

Width x Thickness		Pitch/Rake	Material No.
in	mm		
1 x .035	27 x 0.90	3-4/IP-P-R	99949*
		4-6/IP-P-R	99950*
1-1/4 x .042	34 x 1.10	3-4/IP-P-R	99954
2 x .063	54 x 1.60	1.4-2/IP-P-R	99967
3-1/8 x 0.63		1-1.2/IP-P-R	99993

IP - IntensTM tooth profile | P - Positive rake | R - raker set


*bi-metal unique[®] Technology

3/4" to 1-1/4" sizes available in 150' (45m) and 250' (75m) coils. 1-1/2" and 2" sizes available in 150' (45m) coils. 2-5/8" and 3-1/8" sizes available only in welded blades.

All coils supplied within plus or minus 10% of ordered size.



Furnished in welded bands for all widths, or in random coils for 3/4" to 2" widths.

Special products on request.



1. Patented process providing 170% more weld contact for superior teeth stripping resistance
2. Significantly reduced fracture and breakage
3. Multi-edge cutting performance resulting in faster cuts and longer blade life

bi-metal unique[®]



BI-METAL

INTENSTM PRO

bi-metal
unique[®]

Starrett[®] IntensTM PRO

FEATURES

- Complete line with a full range of widths and pitches to suit a variety of cutting needs
- Unique tooth geometry provides intense production cutting in ferrous and non-ferrous metals

BENEFITS

- Faster and straighter cuts
- Improved fatigue and wear resistance

APPLICATIONS

- Ideal for production cutting across a wide range of metals
- For solids and thick wall tubes



Width x Thickness		Pitch/Rake	Material No.
in	mm		
3/4 x .035	19 x 0.90	3-4/IP-P-R	99191*
		4-6/IP-P-R	99902*
		5-8/IP-P-R	99903*
		6-10/IP-P-R	99206*
1 x .035	27 x 0.90	2-3/IP-P-R	99905*
		3-4/IP-P-R	99906*
		4-6/IP-P-R	99907*
		5-8/IP-P-R	99908*
1-1/4 x .042	34 x 1.10	6-10/IP-P-R	99318*
		3/P	99484
		2-3/IP-P-R	99912
		3-4/IP-P-R	99913
1-1/2 x .050	41 x 1.30	4-6/IP-P-R	99914
		5-8/IP-P-R	99915
		6-10/IP-P-R	99500
		1-1.2/IP-P-R	99917
2 x .063	54 x 1.60	2-3/IP-P-R	99923
		3-4/IP-P-R	99924
		4-6/IP-P-R	99926
		5-8/IP-P-R	99927
2-5/8 x .063	67 x 1.60	.8-1.3/IP-P-R	99928
		1.4-2/IP-P-R	99931
		2-3/IP-P-R	99932
		3-4/IP-P-R	99933
3-1/8 x .063	80 x 1.60	4-6/IP-P-R	99962
		.8-1.3/IP-P-R	99934
		1-1.2/IP-P-R	99937
		1.4-2/IP-P-R	99941
3-1/2 x .063	90 x 1.60	2-3/IP-P-R	99965
		3-4/IP-P-R	99938
		.8-1.3/IP-P-R	99942
		1-1.2/IP-P-R	99943
3-3/4 x .063	95 x 1.60	1.4-2/IP-P-R	99947

IP - IntensTM tooth profile | P - Positive rake | R - Raker set

*bi-metal unique[®] Technology

3/4" to 1-1/4" sizes available in 150' (45m) and 250' (75m) coils. 1-1/2" and 2" sizes available in 150' (45m) coils. 2-5/8" and 3-1/8" sizes available only in welded blades.

All coils supplied within plus or minus 10% of ordered size.

Furnished in welded bands for all widths, or in random coils for 3/4" to 2" widths.

Special products on request.

BI-METAL

INTENSSTM PRO-DIE

bi-metal unique

Starrett® IntensSTM PRO-DIE

FEATURES

- Split Chip Advantage Technology
- Multiple cutting edges-Multi Edge Performance

BENEFITS

- Technology that allows faster cutting rates for longer blade life
- Cost-effective over conventional carbon steel blades
- Excellent fatigue, abrasion and shock resistance

APPLICATIONS

- Ideal for contour cutting on vertical machines
- Carbon steel and low alloy steels
- Sheet metal
- Die and Mold steel
- Stainless steel



Width x Thickness		Pitch/Rake	Material No.
in	mm		
1/4 x .025	6 x 0.65	10-14/IP-P-R	99079
		14-18/RG-S-W	99080
1/4 x .035	6 x 0.90	10-14/IP-P-R	99078
		8-12/IP-P-R	99122
3/8 x .025	10 x 0.65	10-14/IP-P-R	99124
		14-18/RG-S-W	99125
3/8 x .035	10 x 0.90	6/HH-P-R	99093
		14-18/RG-S-R	99190*

RG - Regular tooth profile | S - Straight (Zero) rake | R - Raker set | W - Wavy set
IP - IntensSTM tooth profile | HH - Hook high tooth profile | P Positive rake

*bi-metal unique® Technology

All sizes available in 100' (30m) and 250' (75m) coils or welded bands.

All coils supplied within plus or minus 10% of ordered size.

Special products on request.

Width x Thickness		Pitch/Rake	Material No.
in	mm		
1/2 x .025	13 x 0.65	4/HH-P-R	99143
		6/HH-P-R	99151
		6-10/IP-P-R	99102
		8-12/IP-P-R	99165
		10-14/IP-P-R	99186
		14-18/RG-S-W	99188
1/2 x .035	13 x 0.90	3/HL-P-R	99138
		4/HH-P-R	99144
		6/HH-P-R	99152
		6-10/IP-P-R	99154
		8-12/IP-P-R	99167
		10-14/IP-P-R	99178

RG - Regular tooth profile | S - Straight (Zero) rake | R - Raker set | W - Wavy set
IP - IntensSTM tooth profile | HH - Hook high tooth profile | P Positive rake

*bi-metal unique® Technology

All sizes available in 100' (30m) and 250' (75m) coils or welded bands.

All coils supplied within plus or minus 10% of ordered size.

Special products on request.

BI-METAL

INTENSTM

bi-metal
unique[®]



FEATURES

- Strong tooth geometry
- M42 high-speed steel teeth combined with a fatigue resistant backing

BENEFITS

- Ideal for horizontal machines and light duty verticals
- Ideal for toolrooms and maintenance shops

APPLICATIONS

- Sheets, carbon steel solids and structurals, aluminum, copper, brass, cast iron, alloy steel, stainless steel etc.
- Small and medium solid dimensions



Width x Thickness in	mm	Pitch/Rake	Material No.
1/2 x .025	13 x 0.65	14/RG-S-R	99192*
		18/RG-S-W	99185*
1/2 x .035	13 x 0.90	10/RG-S-R	99176*
		14/RG-S-R	99181*
		14/RG-S-R	99193
		4-6/RG-S-R	99195*
		10/RG-S-R	99197
3/4 x .035	19 x 0.90	5-8/RG-S-R	99198*
		12/RG-S-R	99199
		10/S	99231
		14/RG-S-R	99238*
		3-4/RG-S-R	99282*
		14/RG-S-R	99302
		10/RG-S-R	99303
		12/RG-S-R	99304
		4-6/RG-S-R	99307*
		5-8/RG-S-R	99297*
1 x .035	27 x 0.90	10/RG-S-R	99331*
		14/RG-S-R	99109*
		2-3/RG-S-R	99411
		3-4/RG-S-R	99423
		10/RG-S-R	99424
		12/RG-S-R	99425
		4-6/RG-S-R	99430
		5-8/RG-S-R	99434

RG - Regular tooth profile | S - Straight (Zero) rake | R - Raker set | W - Wavy set


*bi-metal unique[®] Technology

1/2" sizes available in 100' (30m) and 250' (75m) coils. 3/4" to 1-1/4" sizes available in 150' (45m) and 250' (75m) coils. 1-1/2" sizes available in 150' (45m) coils.

All coils supplied within plus or minus 10% of ordered size.

Furnished in welded bands or in random coils for all widths.

Special products on request.





FEATURES

- Split Chip Advantage Technology
- Multiple cutting edges-Multiple Edge Performance
- Blade thickness: 0.020"

BENEFITS

- Technology that allows faster cutting rates and increased blade life
- More cost-effective than conventional carbon steel blades
- Excellent fatigue, abrasion and shock resistance
- For contour cuts

APPLICATIONS

- Portable machines
- Vertical machines with reduced wheel diameter
- Ideal for metal workshops, construction and hobbyists
- Steel, iron, aluminum



Width x Thickness		Pitch/Rake	Material No.
in	mm		
1/2 x .020	13 x 0.50	10/RG-S-R	99171
		14/RG-S-R	99179
		18/RG-S-W	99182
		24/RG-S-W	99184
		10-14/RG-S-R	99187
		14-18/RG-S-W	99180

RG - Regular tooth profile | S - Straight (Zero) rake | R - Raker set | W - Wavy set
*bi-metal unique® Technology
Available in 100' (30m) and 250' (75m) coils.
All coils supplied within plus or minus 10% of ordered size.
Furnished in welded bands.
Special products on request.



PORTABAND

bi-metal unique™

Starrett® Univerz™

FEATURES

- Split Chip Advantage Technology
- Multiple cutting edges-Multiple Edge Performance
- Blade thickness: 0.020"

BENEFITS

- Technology that allows faster cutting rates and increased blade life
- More cost-effective than conventional carbon steel blades
- Excellent fatigue, abrasion and shock resistance
- For contour cuts

APPLICATIONS

- Ideal for metal workshops, construction and hobbyists
- Steel, iron, aluminum





Cat. No.	EDP	Length in	cm	Width x Thickness		Pitch/Rake
Univerz™ - 3 Bands per Sleeve						
BM10	14600	44-7/8	114	1/2 x .020	13 x 0.50	10/RG-S-R
BM14	14601					14/RG-S-R
BM18	14602					18/RG-S-W
BM24	14603					24/RG-S-W
BM1014	15708					10-14/RG-S-R
BM1418	16088	14-18/RG-S-W				
Univerz™ - 100 per Box						
BM10B	16948	44-7/8	114	1/2 x .020	13 x 0.50	10/RG-S-R
BM14B	16949					14/RG-S-R
BM18B	16950					18/RG-S-W
BM24B	16951					24/RG-S-W
BM1014B	16952					10-14/RG-S-R
BM1418B	16953	14-18/RG-S-W				
Advanz™ CG - Carbide Grit - 1 per Box						
CG4CM	19954	44-7/8	114	1/2 x .020	13 x 0.50	Continuous

RG - Regular tooth profile | S - Straight (Zero) rake | R - Raker set | W - Wavy set

*All products feature bi-metal unique® Technology





CARBIDE / DIAMOND GRIT

CARBIDE

ADVANZ™ MC7



FEATURES

- Exclusive Starrett tooth geometry
- Carbide tipped
- Progressively ground trapezoidal tooth design
- Utilizes a progressive four tooth grind creating seven distinct chips
- Positive rake angle
- Submicron carbide (HV1600)

BENEFITS

- Cutting ferrous metals
- Higher productivity through reduced cutting time
- Precision cuts - superb surface finish
- Excellent "cost per cut" for production cutting
- Exclusive Starrett edge preparation - minimizes micro chipping
- Less wear compared to conventional triple chip

AVAILABLE WITH



TECHNOLOGY

APPLICATIONS

- Difficult to machine steels
- Tool steels, heat-treated steels, stainless materials
- Inconel, nickel alloys
- Titanium




Width x Thickness		Pitch/Rake	Material No.
in	mm		
1-1/4 x .042	34 x 1.10	2-3/SC-P-T	92573
1-1/2 x .050	41 x 1.30	1.4-2/SC-P-T	92575
		2-3/SC-P-T	92581
2 x .063	54 x 1.60	1.4-2/SC-P-T	92578
		2-3/SC-P-T	92582
2-5/8 x .063	67 x 1.60	.9-1.1/SC-P-T	92583
		1.4-2/SC-P-T	92584
3-1/8 x 0.63	80 x 1.60	.9-1.1/SC-P-T	92594
		1.4-2/SC-P-T	92595



P - Positive rake | SC - Septuple chip | T - Trapezoid set

Furnished in welded bands.

Special products on request.



MC7 (Seven Multiple Chips)



CARBIDE

ADVANZ™ MC5




FEATURES


- Exclusive Starrett tooth geometry
- Carbide tipped
- Ground tooth produces 5 chips
- Utilizes a multiple chip grind with a high/low tooth sequence
- Positive rake angle
- Submicron carbide (HV1600)

BENEFITS

- Higher productivity through reduced cutting time
- Precision cuts - superb surface finish
- Excellent "cost per cut" for production cutting
- Starrett exclusive edge preparation - minimizes micro chipping
- The chip load is spread out over more teeth to facilitate longer life



MC5 (Five Multiple Chips)



AVAILABLE WITH
AMP
TECHNOLOGY

APPLICATIONS

- Alloy tool steels
- Aerospace alloys
- Stainless steel
- Nickel alloys
- Automotive aluminum casting blocks
- Cast iron



Width x Thickness		Pitch/Rake	Material No.
in	mm		
1-1/4 x .042	34 x 1.10	2-3/QC-P-T	92572
1-1/2 x .050	41 x 1.30	1.4-2/QC-P-T	92574
		2-3/QC-P-T	92586
2 x .063	54 x 1.60	1.4-2/QC-P-T	92577
		2-3/QC-P-T	92580
2-5/8 x .063		.9-1.1/QC-P-T	92533
		1.4-2/QC-P-T	92598
3-1/8 x .063	80 x 1.60	1.4-2/QC-P-T	92585

P - Positive rake | QC - Quintuple chip | T - Trapezoid set

Furnished in welded bands.

Special products on request.



NOW AVAILABLE WITH
NEW AMP TECHNOLOGY!



The new AMP technology available on Starrett band saw blades increases cutting efficiency and blade life. A custom back edge enhancement on the blade generates a rocking motion while cutting which results in an increase in tooth penetration without added feed pressure. This cutting motion also serves to minimize surface contact area, increasing the blade life on hard to cut alloys.

CARBIDE

ADVANZ™ TS



FEATURES



- Carbide tipped teeth
- Triple chip tooth geometry
- Aggressive Rake angle

BENEFITS

- General purpose cutting
- Ferrous and non-ferrous metals
- Reduced cutting time - Higher productivity
- Precise cuts producing excellent finish
- Excellent "cost per cut" for production cutting
- Good for less rigid saw machines

APPLICATIONS

- High-alloy metals
- Aerospace alloys
- Stainless steel
- Nickel alloys
- Hard and abrasive materials
- For machines with hydraulic feed control
- Cast iron
- Brass, bronze, copper



Width x Thickness		Pitch/Rake	Material No.
in	mm		
1/2 x .035	13 x 0.90	3/TC-P-T	92593
		3-4/TC-P-T	92503
3/4 x .035	19 x 0.90	3/TC-P-T	92500
3/4 x .050		3/TC-P-T	92571
		3-4/TC-P-T	92509
1 x .035	27 x 0.90	3/TC-P-T	92504
		2-3/TC-P-T	92515
1-1/4 x .042	34 x 1.10	3-4/TC-P-T	92517
		1.4-2/TC-P-T	92521
1-1/2 x .050	41 x 1.30	2-3/TC-P-T	92516
		3-4/TC-P-T	92569

P - Positive rake | TC - Triple chip | T - Trapezoid set

Furnished in welded bands.

Special products on request.

Width x Thickness		Pitch/Rake	Material No.
in	mm		
2 x .063	54 x 1.60	1.4-2/TC-P-T	92559
		2-3/TC-P-T	92528
2-5/8 x .063	67 x 1.60	.9-1.1/TC-P-T	92560
		1.4-2/TC-P-T	92561
3-1/8 x .063	80 x 1.60	1.4-2/TC-P-T	92563

P - Positive rake | TC - Triple chip | T - Trapezoid set

Furnished in welded bands.

Special products on request.

CARBIDE

ADVANZ™ CS



FEATURES


- Carbide tipped teeth
- Triple chip tooth geometry
- Negative Rake angle

BENEFITS

- Ideal for cutting hardened materials
- High resistance to abrasion
- Reduced cutting time - Higher productivity
- Precise cuts produces excellent finish

APPLICATIONS

- Case hardened steel
- Steel for shafts and linear guides
- Case hardened materials up to 60 HRC




Width x Thickness		Pitch/Rake	Material No.
in	mm		
1 x .035	27 x 0.90	3-4/TC-N-T	92564
1-1/4 x .042	34 x 1.10	3-4/TC-N-T	92565
1-1/2 x .050	41 x 1.30	2-3/TC-N-T	92576
		3-4/TC-N-T	92570
2 x .063	54 x 1.60	2-3/TC-N-T	92592

N - Negative rake | TC - Triple chip | T - Trapezoid set

Furnished in welded bands.

Special products on request.



CARBIDE

ADVANZ™ FS

Starrett® Advanz™ FS

FEATURES


- Carbide tipped teeth
- Triple chip tooth geometry
- Positive Rake angle

BENEFITS

- Ideal for cutting abrasive materials
- Exceptional resistance to fatigue, abrasion and shocks
- Reduced cutting time-Higher productivity
- Precise cuts and excellent finishing

APPLICATIONS

- Abrasive non-ferrous metals
- Cast materials and risers
- Composite materials
- Fiberglass
- Graphite
- Abrasive and hardwoods such as Tauari and others
- Robust vertical and horizontal machines



Width x Thickness		Pitch/Rake	Material No.
in	mm		
3/4 x .035	19 x 0.90	3/TC-P-T	92550
1 x .035	27 x 0.90	2-3/TC-P-T	92507
		3/TC-P-T	92552
1 x .050	27 x 1.30	3/TC-P-T	92553
1-1/4 x .042	34 x 1.10	3/TC-P-T	92513
1-1/4 x .050	34 x 1.30	3/TC-P-T	92555


P - Positive rake | TC - Triple chip | T - Trapezoid set

Furnished in welded bands.

Special products on request.

CARBIDE GRIT

ADVANZ™ CG



FEATURES

- With continuous or gulletted cutting edge
- High fatigue resistance

BENEFITS

- Ideal for cutting hard and/or abrasive materials
- Precise cuts and excellent finishing
- Superior durability

APPLICATIONS

- Steel-belted tires
- Composite materials
- Reinforced plastics
- Composite Graphite
- Case-Hardened steels
- Fiberglass



Width x Thickness		Form	Grit	Material No.
in	mm			
1/4 x .020	6 x 0.50	Gullet	Medium	95401
		Gullet	Medium	95403
3/8 x .025	10 x 0.65	Gullet	Medium/Coarse	95404
		Continuous	Medium	95406
1/2 x .020	13 x 0.50	Continuous	Medium	95414
		Gullet	Medium	95407
1/2 x .025	13 x 0.65	Gullet	Medium/Coarse	95408
		Continuous	Medium	95410
3/4 x .032	19 x 0.80	Gullet	Medium	95416
		Gullet	Medium/Coarse	95417
		Gullet	Coarse	95418
		Continuous	Medium	95419
		Continuous	Coarse	95421
1 x .035	25 x 0.90	Gullet	Medium/Coarse	95422
		Gullet	Coarse	95423
		Continuous	Medium	95425
1-1/4 x .035	32 x 0.90	Gullet	Coarse	95430
		Continuous	Coarse	95431
1-1/4 x .042	32 x 1.10	Gullet	Medium/Coarse	95432


Furnished in welded bands. 100' and 250' coils.

Special products on request.

Cat. No.	EDP	Length		Width x Thickness		Pitch/Rake
		in	cm	in	mm	
CG4CM	19954	44-7/8	114	1/2 x .020	13 x 0.50	Continuous

S - Straight (Zero) rake | W - Wavy Set, Zero rake | P - Positive rake

Packaged 1 per box



DIAMOND GRIT

ADVANZ™ DG

Starrett® Advanz™ DG

FEATURES


- Cutting edge coated with diamond grains
- Continuous cutting edge
- High strength body

BENEFITS

- Ideal for cutting abrasive materials that conventional blades cannot cut
- Precise cuts and excellent finishing
- Exceptional durability and fatigue resistance

APPLICATIONS


- Glass
- Glazed ceramic
- Silicon
- Graphite
- Fiberglass
- Stones
- Pyrex
- Ideal for machines that have high cutting speed



Width x Thickness		Form	Grit	Material No.
in	mm			
1/2 x .020	13 x 0.50	Continuous	Medium 60/85 Diamond Grit	95123

Furnished in welded bands.

Special products on request.





CARBON

CARBON

DURATEC™ SFB

Starrett® Duratec™ SFB

FEATURES



- Made from special high carbon steel
- Flexible back

BENEFITS

- Contour and straight cutting
- Economical
- Can be welded with "standard" welders

APPLICATIONS

- Easy-to-machine carbon steel
- Non-ferrous metals
- Composites and plastics
- Plywood and MDF
- Cardboard
- Ideal for light vertical and horizontal machines
- Mechanical workshops, toolroom, carpentry, etc.





DURATEC™ SFB

Width x Thickness		Pitch/Rake	Material No.
in	mm		
1/8 x .025	3 x 0.65	14/RG-S-R	91050
		18/RG-S-W	91060
3/16 x .025	5 x 0.65	4/SK-S-R	91080
		10/RG-S-R	91090
1/4 x .025	6 x 0.65	4/SK-S-R	91120
		4/HH-P-R	91130
		6/SK-S-R	91140
		6/RG-S-R	91151
		6/HH-P-R	91147
		10/RG-S-R	91161
		14/RG-S-R	91181
		18/RG-S-R	91190
		24/RG-S-W	91204
		32/RG-S-W	91210
		3/HL-P-R	91230
		4/SK-S-R	91240
3/8 x .025	10 x 0.65	4/HH-P-R	91250
		6/SK-S-R	91265
		6/RG-S-R	91261
		6/HH-P-R	91264
		8/RG-S-R	91271
		10/RG-S-R	91281
		14/RG-S-R	91291
		18/RG-S-R	91300
		24/RG-S-W	91307
		3/HL-P-R	91930
3/8 x .035	10 x 0.90	3/HL-P-R	91330
		4/SK-S-R	91340
		4/HH-P-R	91350
		6/SK-S-R	91372
		6/RG-S-R	91361
		6/HH-P-R	91373
1/2 x .025	13 x 0.65	8/RG-S-R	91374
		10/RG-S-R	91380
		14/RG-S-R	91401
		18/RG-S-R	91420
		24/RG-S-W	91430

RG - Regular tooth profile | SK - Skip tooth profile | S - Straight (Zero) rake | R - Raker set | W - Wavy set

HL - Hook Low tooth profile | HH - Hook High tooth profile | P Positive rake

Available in 100' (30m), 250' (75m), 500' (150m) coils and welded bands.

All coils supplied within plus or minus 10% of ordered size.

Special products on request.

Width x Thickness		Pitch/Rake	Material No.
in	mm		
5/8 x .032	16 x 0.80	3/HL-P-R	91434
		3/SK-S-R	91435
		10/RG-S-R	91450
		14/RG-S-R	91471
		3/SK-S-R	91510
3/4 x .032	19 x 0.80	3/HL-P-R	91515
		4/SK-S-R	91529
		4/RG-S-R	91530
		4/HH-P-R	91528
		6/RG-S-R	91531
		8/RG-S-R	91550
		10/RG-S-R	91570
		14/RG-S-R	91621
		18/RG-S-R	91622
		2/HL-P-R	91670
1 x .035	25 x 0.90	3/SK-S-R	91680
		3/HL-P-R	91689
		4/RG-S-R	91696
		6/RG-S-R	91701
		8/RG-S-R	91720
		10/RG-S-R	91730
		14/RG-S-R	91761

RG - Regular tooth profile | SK - Skip tooth profile | S - Straight (Zero) rake | R - Raker set | W - Wavy set

HL - Hook Low tooth profile | HH - Hook High tooth profile | P Positive rake

Available in 100' (30m), 250' (75m), 500' (150m) coils and welded bands.

All coils supplied within plus or minus 10% of ordered size.

Special products on request.

CARBON

DURATEC™ FC



Starrett® Duratec™ FC

Width x Thickness in	mm	Pitch/Rake	Material No.
1 x .035	25 x 0.90	8/RG-S-R	91726
		10/RG-S-R	91740
		4/BC-P-R	91769

R - Raker set

RG - Regular tooth profile | S - Straight (Zero) rake | BC - Bearcat tooth profile | P - Positive rake

Available in 100' (30m) coils and welded bands.

All coils supplied within plus or minus 10% of ordered size.

Special products on request.

FEATURES

- Made of high-carbon steel with high Silicon-content
- Flexible backer for excellent fatigue resistance
- Special set design for increased frictional heat
- Special "air scoop" design teeth
- Fully hardened teeth and tempered back

BENEFITS

- Ideal for cutting materials that conventional blades cannot cut
- High resistance to wear and abrasion
- Teeth specifically designed to bring oxygen into the cut to burn up the material

APPLICATIONS

- Steel-belted radial tires
- Cuts thin, ferrous sections up to 5/8" (16mm)
- Weldments, sheet metal, unconventional shapes
- Vertical machines with speeds up to 15,000 SFPM





CARBON

BAND KNIVES

FEATURES


- Available with straight, scallop or wavy tooth cutting edges and a single or double edge bevel
- Made of high-carbon steel and stainless steel
- Razor edge

BENEFITS

- Quick, smooth and precise cuts, with excellent finishing
- Without material waste

APPLICATIONS

- Foam
- Rubber and soft plastics
- Cardboard and paper
- Cork




CARBON

Straight Edge, Single Bevel



Straight Edge, Double Bevel



Scallop Edge, Double Bevel



Wavy Edge, Double Bevel



Width x Thickness		Edge and Bevel	Material No.
in	mm		
3/8 x .022	10 x 0.55	SC-DB	93126
1/2 x .018	13 x 0.46	SC-DB	93188
		ST-SB	93135
		ST-DB	93160
1/2 x .022	13 x 0.55	SC-DB	93189
		WV-DB	93388
5/8 x .018	16 x 0.46	SC-DB	93580*
5/8 x .022	16 x 0.55	SC-DB	93590
		ST-DB	93609
3/4 x .022	19 x 0.55	SC-DB	93637
		WV-DB	93715
3/4 x .028	19 x 0.70	SC-DB	93629
		WV-DB	93717
1 x .025	25 x 0.60	ST-DB	93794
		SC-DB	93806
		ST-DB	93796
1 x .035	25 x 0.90	SC-DB	93809
		WV-DB	93912

ST-SB - Straight edge - Single bevel

ST-DB - Straight edge - Double bevel


SC-DB - Scallop edge - Double Bevel

WV-DB - Wavy edge - Double Bevel

Available in 100' (30m), 250' (75m), random length coils and welded bands.

*Stainless steel blade.

Special products on request.



PRECISION MAKES THE DIFFERENCE

GOES THE
DISTANCE.



Starrett®

(978) 249-3551 • starrett.com

Follow us!





WOOD CUTTING

WOOD CUTTING

WOODPECKER™ PREMIUM

FEATURES

- A selection of blades ideal for a variety of woodworking applications
- Includes blades as thin as .020" for jobs such as contour cutting fine hardwoods to thicker blades for tough tasks including pallet work
- Hardened spring tempered back and ground, precision set teeth with positive tooth angles
- Thin kerf available
- Longer life and faster cutting with less feed
- High production rates and increased yields
- Can be re-sharpened

Width x Thickness		Pitch/Rake	Material No.
in	mm		
1/4 x .020	6.5 x 0.50	6/SK-S-R	91992
3/8 x .022	10 x 0.55	4/HK-P-R	91996
		6/HK-P-R	91997
1/2 x .022	13 x 0.55	3/HK-P-R	92000
		4/HK-P-R	92001
		6/HK-P-R	92002
5/8 x .022	16 x 0.55	3/HK-P-R	92003
		4/HK-P-R	92004
3/4 x .028	19 x 0.71	3/HK-P-R	92007
1 x .023	25 x 0.58	3/HK-P-R	92010
1 x .035	25 x 0.90	1.3/HK-P-R	92035
		2/HK-P-R	92036
1-1/4 x .035	32 x 0.90	1.3/HK-P-R	92043
		1.1/HK-P-R	92017
1-1/4 x .042	32 x 1.10	1.3/HK-P-R	92018
		5-8/RG-S-R	92046
1-1/2 x .042	38 x 1.10	1.1/HK-P-R	92022
2 x .042	50 x 1.10	1.1/HK-P-R	92026
2-9/16 x .042	65 x 1.10	1.1/HK-P-R	92030

HK - Hook tooth profile | P - Positive rake | R - Raker set

SK - Skip tooth profile | RG - Regular tooth profile | S - Straight (zero) rake | R - Raker set

Available in 100' (30m), 250' (75m), 500' (150m), random length coils and welded bands

All coils supplied within plus or minus 10% of ordered size.

Special products on request.





WOOD CUTTING

BI-METAL WOODPECKER™ PRO

BI-METAL

FEATURES

- Manufactured from high-speed steel M42 containing 8% cobalt
- Specifically designed for all types of hardwoods and pallet dismantling applications
- Electron beam welded bi-metal construction optimizes cost per cut ratio
- Rockwell tooth hardness C67-69 ensures longer blade life

Width x Thickness		Pitch/Rake	Material No.
in	mm		
1/4 x .025	6.5 x 0.65	6/HK-P-R	92100
3/8 x .025	10 x 0.90	4/HK-P-R	92101
1/2 x .025	13 x 0.65	3/HK-P-R	92102
3/4 x .035	19 x 0.90	3/HK-P-R	92103
1 x .035	27 x 0.90	2/HK-P-R	92104
1-1/4 x .042	34 x 1.10	1.3/HK-P-R	92108
1-1/2 x .050	41 x 1.30	1.1/HK-P-R	92109
2 x .050	54 x 1.30	1.1/HK-P-R	92111

HK - Hook tooth profile | P - Positive rake | R - Raker set
RG - Regular tooth profile | S - Straight (zero) rake
Available in 100' (30m), 250' (75m), random length coils and welded bands.
All coils supplied within plus or minus 10% of ordered size.
Special products on request.





PRECISION MAKES THE DIFFERENCE

PURE PRECISION.

Introducing the HDV300 Video-based measurement system. The power of an optical comparator, meets the precision of digital video.



Starrett®

(978) 249-3551 • starrett.com

Follow us!





FOOD PROCESSING

FOOD PROCESSING

MEATKUTTER™ PREMIUM

MKP



SPECIFICATIONS

- Polished high carbon steel
- Hardened, ground teeth
- Hardened back

FEATURES

- USDA approved
- Accurate, balanced, sharp and fast cutting action with less kerf loss per cut.
- Accurate cuts with less effort
- Laser-etched blade identification guarantees product quality and satisfaction

MEAT TYPES

- Fresh, frozen, bone-in and boneless
- Broilers and turkeys
- Seafood

APPLICATIONS

- Suitable for kill/harvest and further process operations.
- Fresh/Frozen and prepared food

Width x Thickness in	mm	Pitch/Rake	Material No.
1/2 x .022	13 x 0.55	3/HK-P-A	94310
		4/HK-P-A	94311
		6/SK-S-A	94312
5/8 x .018	16 x 0.46	4/HK-P-A	94314
		6/SK-S-A	94315
		3/HK-P-A	94316
5/8 x .022	16 x 0.55	4/HK-P-A	94317
		8/RG-S-A	94328
		3/HK-P-A	94325
5/8 x .025	16 x 0.65	4/HK-P-A	94326
		3/HK-P-A	94318
		4/HK-P-A	94319

HK - Hook tooth profile | P - Positive rake | A - Alternate set
SK - Skip tooth profile | S - Straight (zero) rake

Available in 100' (30m), 250' (75m), 500' (150m), random length coils and welded bands.

All coils supplied within plus or minus 10% of ordered size.

Special products on request.



Meatkutter™
Premium

5/8 x .018"
5/8 x .022"
16 x 0.46mm

X6 OP21221504



FOOD PROCESSING

MEATKUTTER™ STAINLESS MKS



SPECIFICATIONS

- Stainless steel AISI 420
- Ground teeth

FEATURES

- USDA approved
- Rust-proof
- Accurate, balanced, sharp and fast cutting action with less kerf loss per cut
- Laser-etched blade identification guarantees product quality and satisfaction

MEAT TYPES

- Fresh, frozen, bone-in and boneless
- Broilers and turkeys
- Seafood

APPLICATIONS

- Suitable for kill/harvest and further process operations
- Fresh/Frozen and prepared food

Width x Thickness		Pitch/Rake	Material No.
in	mm		
5/8 x .018	16 x 0.46	4/HK-P-A	94321
		6/SK-S-A	94322

HK - Hook tooth profile | P - Positive rake | A - Alternate set | S - Straight (zero) rake
SK - Skip tooth profile

Available in 100' (30m), 250' (75m), 500' (150m), random length coils and welded bands
All coils supplied within plus or minus 10% of ordered size.

Special products on request

Starrett®

**Meatkutter™
Stainless Steel**

5/8 x .018"
16 x 0.46mm **X6** OP21221688

FOOD PROCESSING

CARCASSKUTTER™ PREMIUM

CKP



SPECIFICATIONS

- Polished high carbon steel
- Hardened, ground teeth
- Hardened back

FEATURES

- USDA approved
- Accurate, balanced, sharp and fast cutting action with less kerf loss per cut
- Laser-etched blade identification guarantees product quality and satisfaction

CARCASS TYPES

- Animal carcass cuts
- Cattle
- Swine/Hogs

APPLICATIONS


- Suitable for kill/harvest and further process operations
- Fresh/Frozen and prepared food
- Cold storage facilities
- Meat packing and processing plants

Width x Thickness in	mm	Pitch/Rake	Material No.
		3/HK-P-A	94370
3/4 x .022	19 x 0.55	4/HK-P-A	94371

HK - Hook tooth profile | P - Positive rake | A - Alternate set

Available in 100' (30m), 250' (75m), 500' (150m), random length coils and individually wrapped welded bands
All coils supplied within plus or minus 10% of ordered size.

Special products on request





FOOD PROCESSING

MEATKUTTER™ FROZEN MKF



SPECIFICATIONS

- Polished high carbon steel
- Hardened, ground teeth
- Laser-etched blade for easy origin identification and traceability
- Variety of widths and teeth (as shown on the right)

FEATURES

- USDA approved
- Accurate, balanced, sharp and fast cutting action with less kerf loss per cut
- Excellent cutting precision

MEAT TYPES

- Fish
- Frozen meat up to -4°F (-20° C)

APPLICATIONS

- Meat packing industries

Width x Thickness		Pitch/Rake	Material No.
in	mm		
5/8 x .014	16 x 0.35	3/HK-P-A	94360
		3/HL-P-A	94367
5/8 x .016	16 x 0.41	3/HL-P-A	94368
		3/HK-P-A	94361
5/8 x .020	16 x 0.50	4/HK-P-A	94362
3/4 x .022	19 x 0.55	3/HK-P-A	94363
1 x .023	27 x 0.60	3/HK-P-A	94364
1 x .032	27 x 0.80	3/HL-P-A	94357
1-1/4 x .032	34 x 0.80	2/HK-P-A	94365
2 x .035	50 x 0.90	1.3/HK-P-A	94366

HK - Hook tooth profile | P - Positive rake | A - Alternate set | HL - Hook, low profile

Available in 100' (30m), 250' (75m), 500' (150m), random length coils and welded bands
All coils supplied within plus or minus 10% of ordered size.

Special products on request



FOOD PROCESSING

MEATKUTTER™ FROZEN BI-METAL MKB



SPECIFICATIONS

- Bi-metal high-speed steel band saw blade
- Hardened teeth and back

FEATURES

- Greater durability compared to conventional blades
- Fast, clean cuts
- Clean, accurate cuts with less waste

MEAT TYPES

- Frozen fish up to -76°F (-60° C)
- Large fish

APPLICATIONS

- Suitable for meat packing, portioning and seafood processing

Width x Thickness		Pitch/Rake	Material No.
in	mm		
1-1/4 x .035	34 x 0.90	3/HK-P-A	94380

HK - Hook tooth profile | P - Positive rake | A - Alternate set

Available in 100' (30m), 250' (75m), 500' (150m), random length coils and welded bands

All coils supplied within plus or minus 10% of ordered size.

Special products on request





Starrett

POWER HACKSAWS

POWER HACKSAWS

BI-METAL HSS-BS

CUTTING EDGE OF HIGH-SPEED STEEL

FEATURES

- Available in metric and inch
- Hardened and tempered high-speed steel teeth
- Tough alloy steel back resistant to shock and breakage

BENEFITS

- Alloy back resists fatigue under the most adverse conditions

APPLICATIONS

- Ideal for all general steel cutting
- Works well in a wide variety of applications, including interrupted cuts



CUTTING CHART FOR POWER HACKSAW BLADES-BS AND RS

Cross Section to be Cut	Material Thickness				Bow Speeds in Strokes per Minute **
	Up to 3/4" (20mm) Pitch*	From 3/4" to 1-1/2" (From 20mm to 40mm)	From 1-1/2" to 3-1/2" (From 40mm to 90mm)	Above 3-1/2" (Above 90mm)	
Low Carbon Steel	14-10	10-6	6-4	4-2-1/2	70-90
Medium Carbon Steel	14-10	10-6	6-4	4-2-1/2	60-80
High Carbon Steel	14-10	10-6	6-4	4-2-1/2	55-70
Carbon Low Alloy Steel	14-10	10-6	6-4	4-2-1/2	65-80
Carbon High Alloy Steel	14-10	10-6	6-4	4-2-1/2	45-60
Easy to machine steel	14-10	10-6	6-4	4-2-1/2	80-100
Tool Steel	14-10	10-6	6-4	4-2-1/2	55-70
Low-Alloy High-speed steel	14-10	10-6	6-4	4-2-1/2	50-60
High-Alloy High-speed steel	14-10	10-6	6-4	4-2-1/2	45-55
Cast Iron Class 20	14-10	10-6	6-4	4-2-1/2	70-80
Cast Iron Class 40	14-10	10-6	6-4	4-2-1/2	65-75
Cast Iron Class 60	14-10	10-6	6-4	4-2-1/2	40-55
Malleable Cast Iron	14-10	10-6	6-4	4-2-1/2	65-75
Austenitic Cast Iron	14-10	10-6	6-4	4-2-1/2	40-55
Inconel and Monel	14-10	10-6	6-4	4-2-1/2	40-55
Stainless Steels	14-10	10-6	6-4	4-2-1/2	50-60
Copper	14-10	10-6	6-4	4-2-1/2	95-140
Bronze	14-10	10-6	6-4	4-2-1/2	85-105
Brass	14-10	10-6	6-4	4-2-1/2	90-110
Aluminum	14-10	10-6	6-4	4-2-1/2	100-140

*The blade should be tensioned correctly.

*Since you have two options for each thickness range, use a finer pitch (more teeth per inch) for thinner sections and coarser pitches (fewer teeth per inch) for thick sections.

** For materials with width higher than 3", decrease at least 20% of cutting rates.



POWER HACKSAWS

BI-METAL HSS-BS

CUTTING EDGE OF HIGH-SPEED STEEL

Cat. No.	EDP	Length x Width x Thickness		TPI (TP/25mm)	Pinhole Diameter
		in	mm		
BS1210-5	40097	12 x 1-1/8 x .050	300 x 28 x 1.25	10	8.5mm
BS1214-5	40098			14	
BS1410-5	40099	14 x 1-1/8 x .050	350 x 28 x 1.25	10	
BS1414-5	40100			14	
BS1406-6	40101	14 x 1-3/8 x .062	350 x 35 x 1.6	6	10.75mm
BS1410-6	40102			10	
BS1406-7	40105	14 x 1-5/8 x .075	350 x 41 x 2	6	
BS1706-6	40113	17 x 1-3/8" x .062"	425mm x 35mm x 1.6mm	6	
BS1710-6	40114			10	8.5mm
BS1806-6	40115	18" x 1-3/8" x .062"	450mm x 35mm x 1.6mm	6	10.75mm
BS1810-6	40116			10	
BS1804-7	40118	18 x 1-5/8 x .075	450 x 41 x 2	4	
BS1806-7	40119			6	
BS1804-8	40121	18 x 1-7/8 x .088	450 x 47 x 2.25	4	10.75mm
BS1806-8	40122			6	
BS2104-8	40126	21 x 1-7/8 x .088	525 x 47 x 2.25	4	
BS2106-8	40127			6	

Blades from 12" (300mm) to 20" (500mm) length packaged and sold 5 blades per plastic tube.

Blades from 21" (525mm) or wider, packaged and sold 1 blade per sleeve.

POWER HACKSAWS

HIGH-SPEED STEEL-RS

HIGH-SPEED STEEL

FEATURES

- Available in metric and inch
- Fully hardened molybdenum high-speed steel

BENEFITS

- Long wear life and top performance
- Withstands heavier feed pressures providing faster cutting

APPLICATIONS

- Ideal for cutting a wide range of materials



CUTTING CHART FOR POWER HACKSAW BLADES-BS AND RS

Cross Section to be Cut	Material Thickness				Bow Speeds in Strokes per Minute **
	Up to 3/4" (20mm) Pitch*	From 3/4" to 1-1/2" (From 20mm to 40mm)	From 1-1/2" to 3-1/2" (From 40mm to 90mm)	Above 3-1/2" (Above 90mm)	
Low Carbon Steel	14-10	10-6	6-4	4-2-1/2	70-90
Medium Carbon Steel	14-10	10-6	6-4	4-2-1/2	60-80
High Carbon Steel	14-10	10-6	6-4	4-2-1/2	55-70
Carbon Low Alloy Steel	14-10	10-6	6-4	4-2-1/2	65-80
Carbon High Alloy Steel	14-10	10-6	6-4	4-2-1/2	45-60
Easy to machine steel	14-10	10-6	6-4	4-2-1/2	80-100
Tool Steel	14-10	10-6	6-4	4-2-1/2	55-70
Low-Alloy High-speed steel	14-10	10-6	6-4	4-2-1/2	50-60
High-Alloy High-speed steel	14-10	10-6	6-4	4-2-1/2	45-55
Cast Iron Class 20	14-10	10-6	6-4	4-2-1/2	70-80
Cast Iron Class 40	14-10	10-6	6-4	4-2-1/2	65-75
Cast Iron Class 60	14-10	10-6	6-4	4-2-1/2	40-55
Malleable Cast Iron	14-10	10-6	6-4	4-2-1/2	65-75
Austenitic Cast Iron	14-10	10-6	6-4	4-2-1/2	40-55
Inconel and Monel	14-10	10-6	6-4	4-2-1/2	40-55
Stainless Steels	14-10	10-6	6-4	4-2-1/2	50-60
Copper	14-10	10-6	6-4	4-2-1/2	95-140
Bronze	14-10	10-6	6-4	4-2-1/2	85-105
Brass	14-10	10-6	6-4	4-2-1/2	90-110
Aluminum	14-10	10-6	6-4	4-2-1/2	100-140

*The blade should be tensioned correctly.

*Since you have two options for each thickness range, use a finer pitch (more teeth per inch) for thinner sections and coarser pitches (fewer teeth per inch) for thick sections.

** For materials with width higher than 3", decrease at least 20% of cutting rates.



POWER HACKSAWS

HIGH-SPEED STEEL-RS

HIGH-SPEED STEEL

Cat. No.	EDP	Length x Width x Thickness		TPI	Pinhole
		in	mm	(TP/25mm)	Diameter
RS1210-5	40046	12 x 1 x .050	300 x 25 x 1.25	10	8.5mm
RS1214-5	40047			14	
RS1410-5	40049	14 x 1 x .050	350 x 25 x 1.25	10	
RS1414-5	40050			14	
RS1406-6	40051	14 x 1-1/4 x .062	350 x 32 x 1.6	6	
RS1410-6	40052			10	
RS1610-6	40058	16 x 1-1/4 x .062	400 x 32 x 1.25	10	
RS1706-6	40062	17 x 1-1/4 x .062	425 x 32 x 1.6	6	
RS1710-6	40063			10	
RS1806-6	40064	18 x 1-1/4 x .062	450 x 32 x 1.6	6	10.75mm
RS1810-6	40065			10	
RS1804-7	40067	18 x 1-1/2 x .075	450 x 38 x 2	4	
RS1806-7	40068			6	
RS1804-8	40070	18 x 1-3/4 x .088	450 x 45 x 2.25	4	
RS1806-8	40071			6	
RS2104-8	40075	21 x 1-3/4 x .088	450 x 45 x 2.25	4	
RS2106-8	40076			6	
RS2404-0	40081	24 x 2 x .100	600 x 50 x 2.5	4	11.25mm
RS3004-0	40083	30 x 2-1/2 x .100	750 x 63 x 2.5	4	16.75mm

Blades from 12" (300mm) to 20" (500mm) length packaged and sold 5 blades per plastic tube.
Blades from 21" (525mm) or wider, packaged and sold 1 blade per sleeve.

Cat. No.	EDP	Length x Width x Thickness		TPI	Pinhole
		in	mm	(TP/25mm)	Diameter
Metric High-speed steel Power Hacksaw Blades (for KASTO and other metric machines)					
RS400-6	40180	16 x 1-1/4 x .075	400 x 32 x 2	6	10.5mm
RS400-10	40181			10	
RS450-4	40182	18 x 1-1/2 x .075	450 x 38 x 2	4	
RS450-6	40183			6	
RS450-10	40184	20 x 1-3/4 x .075	500 x 45 x 2	10	
RS500-6	16171			6	
RS500-10	16172	22 x 1-3/4 x .075	550 x 45 x 2	10	
RS550-4	40173			4	
RS550-10	40185	23 x 2 x .100	575 x 50 x 2.5	10	
RS575-4	40175			4	
RS575-6	40176	24 x 2 x .100	600 x 50 x 2.5	6	2-1/2 TPI
RS600-4	16173			4	
RS600-6	16174	26 x 2-3/16 x .100	650 x 55 x 2.5	6	
RS650-4	40186			4	
RS650-6	40187	28 x 2-3/16 x .100	700 x 55 x 2.5	6	
RS700-4	40188			4	
RS700-6	40189	34 x 2-3/8 x .118	850 x 60 x 3	6	
RS850-4	16175			4	
RS900-2 1/2	68716	36 x 4-1/2 x .138	900 x 114 x 3.5	2-1/2 TPI	
RS1000-2 1/2	16177	40 x 5 x .138	1000 x 126 x 3.5		

Blades from 12" (300mm) to 20" (500mm) length packaged and sold 5 blades per plastic tube.
Blades from 21" (525mm) or wider, packaged and sold 1 blade per sleeve.



PRECISION MAKES THE DIFFERENCE



NO CONTACT IS THE SOLUTION.

Profile360™ is an in-line, real-time, non-contact solution for continuously monitoring key profile dimensions in complex shapes such as rubber, ceramic, plastic, and wood-plastic composite extrusions, roll-formed metal profiles, and profiled wire.



Starrett®

(978) 249-3551 • starrett.com

Follow us!





RECOMMENDATIONS AND RESOURCES

RECOMMENDATIONS

BLADE BREAK-IN


Using the right break-in procedures for a bi-metal blade ensures longer blade life, faster cuts for a longer period of time and consistent performance. Conversely, blade life can be significantly compromised if the proper break-in procedures are not followed.

Softer material such as carbon steel and aluminum:

- A. Run the normal surface feet per minute (SFPM).
- B. Adjust the feed pressure to 50% the normal cutting rate for 50-100 square inches (323-645 sq.cm).
- C. Increase to 100% cutting rate.
- D. Avoid vibration.

Harder materials such as nickel-based alloys like inconel, hardened steels, tool steels and stainless steels:


- A. Run the normal surface feet per minute (SFPM).
- B. Adjust the feed pressure to 75% of the normal cutting rate for 25-75 square inches (161-484 sq.cm).
- C. Gradually increase cutting rate to reach 100% after 50 square inches (323 sq.cm).
- D. Avoid vibration.




New blade with razor sharp teeth

Tooth correctly broken in

Tooth incorrectly broken in



Start to cut material at reduced cutting rate



After break-in when the blade has fully entered the work-piece, increase the feed rate over a series of cuts until the recommended cutting rate is achieved.

RECOMMENDATIONS

BAND SAW BLADE INSTALLATION GUIDELINES

Always follow the machine manufacturer's instruction and recommendations for blade changes and the safe operation for the band saw machine. Starrett nor its employees shall not be held responsible for the accuracy or completeness of these guidelines.


The general information contained in the guidelines is intended to assist in the proper installation of band saw blades.

Proper blade installation achieves more efficient blade performance.


- Wear gloves when handling band saw blade



- Use eye protection, safety shoes, and hearing protection






- Select appropriate blade for cutting application
- Unfold blade properly. Do not throw. Throwing the blade will result in tooth damage that will reduce saw blade performance
- Install blade with saw teeth pointing in proper direction



- Apply appropriate tension to the blade
- Be aware of pinch points and keep hands and clothing clear of rotating blade



- Adjust guide arms to appropriate positions to workpiece
- Adjust blade guides for proper blade support
- Adjust chip brush to fully engage saw blade teeth to ensure proper chip removal



- Check hydraulic fluid levels when applicable
- Ensure appropriate cutting fluid placement and mix ratios as applicable per machine, cutting fluid, and blade manufacturer's recommendations

FOLLOW THESE INSTRUCTIONS CAREFULLY

- Follow all the safety instructions shown in the band saw machine operator's manual and on the machine labels. Recognize and read safety and warning signs such as Danger, Warning and Caution
- Follow the saw blade installation instructions on the specific make and model of the band saw machine requiring a blade change

BASIC BLADE CHANGE GUIDELINES

- Remove any chips from saw guides and band wheels
- Position chip brush away from saw
- Relieve saw blade tension and remove blade

ACCESSORIES

POCKET LASER TACHOMETER KIT WITH CASE No. S7793Z

- Powerful tachometer with 32 functions for measurements with or without contact
- From 200.000 RPM (optical measurement) to 20.000 RPM
- Measurement with contact up to 20.000 RPM
- Measurement with contact 2.000 m/min.(linear speed)
- Different measurement units: RPM, cm, inches, feet, yards etc




SAW TENSION GAGE FOR BAND SAW BLADES No. 682EMZ

- Check for proper tension in either English or metric
- Graduated in kg/cm² (0 to 4.000) and in pounds/in² (0 to 60.000)
- Supplied in a case with instructions

BAND SAW BLADE ALIGNMENT GAGE No. PT92925

This gage enables you to make sure your blade is running square to the cut.



STARRETT RESOURCES

STARRETT WEBSITE

STARRETT.COM

Browse the full range of Starrett products, locate Starrett authorized distributors, and download product datasheets, white papers, user manuals and other informational documentation on the Starrett website.

BAND SAW BLADE REFERENCE GUIDE BULLETIN 1037

The Band Saw Reference Guide provides basic charts and tables to help users achieve the best results with Starrett band saw blades.

Charts include:

- Cutting Table for Bi-Metal Band Saw Blades
- Troubleshooting
- Cut Rate Chart
- Cut-Off Calculations

The Band Saw Blade Reference Guide is available as a PDF at starrett.com.



POWERCALC APP

Starrett
PowerCalc

The PowerCalc App helps users choose the right Starrett band saw blade for their application on a smartphone. The PowerCalc App is free and easy to install on any smartphone or mobile device.

The PowerCalc App is available on the following sites:



FIND STARRETT ON YOUTUBE

YOUTUBE.COM/LSSTARRETT

Learn more about band saw blades and other Starrett products by watching a variety of videos available on the Starrett YouTube page.

Videos include:

- Instructional
- Product Information
- Tradeshow and Events

STARRETT LITERATURE AT YOUR FINGERTIPS

Our digital catalogs contain all of the information you have come to expect from our printed literature, but without taking up space on your desk.

FEATURES

- Access to all Starrett catalogs, brochures, datasheets and educational materials
- Easy sharing through email
- Print a page
- Quickly download the whole catalog for convenient offline viewing





PRECISION MAKES THE DIFFERENCE

FOR OVER 130 YEARS, WITH INNOVATIVE TECHNOLOGIES.

More than 5,000 products including precision tools, vision systems, force measurement systems, non-contact measurement systems, profile projectors, band saw blades, band saw machines, hand tools and power tools accessories. Read more: www.starrett.com




Starrett®

(978) 249-3551 • starrett.com

Follow us!





INDEX

A

Accessories	60
682EMZ Saw Tension Gage	60
PT92925 Band Saw Alignment Gage	60
S7793Z Pocket Laser Tachometer Kit	60

B

Band Knives	39
Bi-Metal	17–24
TENNAX™-PRO	19
Primalloy™	20
Intenss™ PRO-VTH	21
Intenss™ PRO	22
Intenss™ PRO-DIE	23
Intenss™	24

C

Carbide	27–33
Advanz™ CG	33
Advanz™ CS	31
Advanz™ FS	32
Advanz™ MC5	29
Advanz™ MC7	28
Advanz™ TS	30
Carbon	35–40
Duratec™ FC	38
Duratec™ SFB	36–37

D

Diamond Grit	27
Advanz™ DG	34

F

Food Processing 45–50

CarcassKutter™ Premium (CKP)	48
Meatkutter™ Frozen Bi-Metal (MKB)	50
Meatkutter™ Frozen (MKF)	49
Meatkutter™ Premium (MKP)	46
Meatkutter™ Stainless (MKS)	47

P

Portaband	26
Univerz™	25
Power Hacksaws	51–55
Bi-Metal HSS-BS	52–53
High-speed steel-RS	54–55

R

Recommendations	58–59
Resources	61
Band Saw Blade Reference Guide	61
PowerCalc	16, 61
Website	61
YouTube	61

T

Technical Assistance	15
-----------------------------------	-----------

W

Wood Cutting	41–43
Woodpecker™ Premium	42
Woodpecker™ Pro	43

682EMZ	Saw Tension Gage	60	91434	Duratec™ SFB Band Saw	37
10079	Duratec™ SFB Band Saw	37	91435	Duratec™ SFB Band Saw	37
91050	Duratec™ SFB Band Saw	37	91450	Duratec™ SFB Band Saw	37
91060	Duratec™ SFB Band Saw	37	91471	Duratec™ SFB Band Saw	37
91080	Duratec™ SFB Band Saw	37	91510	Duratec™ SFB Band Saw	37
91090	Duratec™ SFB Band Saw	37	91515	Duratec™ SFB Band Saw	37
91120	Duratec™ SFB Band Saw	37	91528	Duratec™ SFB Band Saw	37
91130	Duratec™ SFB Band Saw	37	91529	Duratec™ SFB Band Saw	37
91140	Duratec™ SFB Band Saw	37	91531	Duratec™ SFB Band Saw	37
91147	Duratec™ SFB Band Saw	37	91550	Duratec™ SFB Band Saw	37
91151	Duratec™ SFB Band Saw	37	91570	Duratec™ SFB Band Saw	37
91161	Duratec™ SFB Band Saw	37	91621	Duratec™ SFB Band Saw	37
91181	Duratec™ SFB Band Saw	37	91622	Duratec™ SFB Band Saw	37
91190	Duratec™ SFB Band Saw	37	91670	Duratec™ SFB Band Saw	37
91204	Duratec™ SFB Band Saw	37	91680	Duratec™ SFB Band Saw	37
91210	Duratec™ SFB Band Saw	37	91689	Duratec™ SFB Band Saw	37
91230	Duratec™ SFB Band Saw	37	91695	Duratec™ SFB Band Saw	37
91240	Duratec™ SFB Band Saw	37	91696	Duratec™ SFB Band Saw	37
91250	Duratec™ SFB Band Saw	37	91701	Duratec™ SFB Band Saw	37
91261	Duratec™ SFB Band Saw	37	91720	Duratec™ SFB Band Saw	37
91264	Duratec™ SFB Band Saw	37	91726	Duratec™ FC Band Saw	38
91265	Duratec™ SFB Band Saw	37	91730	Duratec™ SFB Band Saw	37
91271	Duratec™ SFB Band Saw	37	91740	Duratec™ FC Band Saw	38
91281	Duratec™ SFB Band Saw	37	91761	Duratec™ SFB Band Saw	37
91291	Duratec™ SFB Band Saw	37	91769	Duratec™ FC Band Saw	38
91300	Duratec™ SFB Band Saw	37	91930	Duratec™ SFB Band Saw	37
91307	Duratec™ SFB Band Saw	37	91992	Woodpecker™ Premium Band Saw	42
91330	Duratec™ SFB Band Saw	37	91996	Woodpecker™ Premium Band Saw	42
91340	Duratec™ SFB Band Saw	37	91997	Woodpecker™ Premium Band Saw	42
91350	Duratec™ SFB Band Saw	37	92000	Woodpecker™ Premium Band Saw	42
91361	Duratec™ SFB Band Saw	37	92001	Woodpecker™ Premium Band Saw	42
91372	Duratec™ SFB Band Saw	37	92002	Woodpecker™ Premium Band Saw	42
91373	Duratec™ SFB Band Saw	37	92003	Woodpecker™ Premium Band Saw	42
91374	Duratec™ SFB Band Saw	37	92004	Woodpecker™ Premium Band Saw	42
91380	Duratec™ SFB Band Saw	37	92007	Woodpecker™ Premium Band Saw	42
91401	Duratec™ SFB Band Saw	37	92010	Woodpecker™ Premium Band Saw	42
91420	Duratec™ SFB Band Saw	37	92017	Woodpecker™ Premium Band Saw	42
91430	Duratec™ SFB Band Saw	37	92018	Woodpecker™ Premium Band Saw	42

92022	Woodpecker™ Premium Band Saw	42	92569	Advanz™ TS Band Saw	30
92026	Woodpecker™ Premium Band Saw	42	92570	Advanz™ CS Band Saw	31
92030	Woodpecker™ Premium Band Saw	42	92571	Advanz™ TS Band Saw	30
92035	Woodpecker™ Premium Band Saw	42	92572	Advanz™ MC5 Band Saw	29
92036	Woodpecker™ Premium Band Saw	42	92573	Advanz™ MC7 Band Saw	28
92042	Woodpecker™ Premium Band Saw	42	92574	Advanz™ MC5 Band Saw	29
92043	Woodpecker™ Premium Band Saw	42	92575	Advanz™ MC7 Band Saw	28
92100	Woodpecker™ Pro Band Saw	43	92576	Advanz™ CS Band Saw	31
92101	Woodpecker™ Pro Band Saw	43	92577	Advanz™ MC5 Band Saw	29
92102	Woodpecker™ Pro Band Saw	43	92578	Advanz™ MC7 Band Saw	28
92103	Woodpecker™ Pro Band Saw	43	92580	Advanz™ MC5 Band Saw	29
92104	Woodpecker™ Pro Band Saw	43	92581	Advanz™ MC7 Band Saw	28
92108	Woodpecker™ Pro Band Saw	43	92582	Advanz™ MC7 Band Saw	28
92109	Woodpecker™ Pro Band Saw	43	92583	Advanz™ MC7 Band Saw	28
92110	Woodpecker™ Pro Band Saw	43	92584	Advanz™ MC7 Band Saw	28
92111	Woodpecker™ Pro Band Saw	43	92585	Advanz™ MC5 Band Saw	29
92500	Advanz™ TS Band Saw	30	92586	Advanz™ MC5 Band Saw	29
92503	Advanz™ TS Band Saw	30	92592	Advanz™ CS Band Saw	31
92504	Advanz™ TS Band Saw	30	92594	Advanz™ MC7 Band Saw	28
92507	Advanz™ FS Band Saw	32	92595	Advanz™ MC7 Band Saw	28
92509	Advanz™ TS Band Saw	30	92598	Advanz™ MC5 Band Saw	29
92513	Advanz™ FS Band Saw	32	93126	Band Knife	39
92515	Advanz™ TS Band Saw	30	93135	Band Knife	39
92516	Advanz™ TS Band Saw	30	93160	Band Knife	39
92517	Advanz™ TS Band Saw	30	93189	Band Knife	39
92521	Advanz™ TS Band Saw	30	93388	Band Knife	39
92528	Advanz™ TS Band Saw	30	93580	Band Knife	39
92533	Advanz™ MC5 Band Saw	29	93590	Band Knife	39
92550	Advanz™ FS Band Saw	32	93609	Band Knife	39
92552	Advanz™ FS Band Saw	32	93629	Band Knife	39
92553	Advanz™ FS Band Saw	32	93637	Band Knife	39
92555	Advanz™ FS Band Saw	32	93715	Band Knife	39
92559	Advanz™ TS Band Saw	30	93717	Band Knife	39
92560	Advanz™ TS Band Saw	30	93794	Band Knife	39
92561	Advanz™ TS Band Saw	30	93796	Band Knife	39
92563	Advanz™ TS Band Saw	30	93806	Band Knife	39
92564	Advanz™ CS Band Saw	31	93809	Band Knife	39
92565	Advanz™ CS Band Saw	31	93912	Band Knife	39

94310	Meatkutter™ Premium Band Saw (MKP)	46	95418	Advanz™ CG Saw Blade	33
94311	Meatkutter™ Premium Band Saw (MKP)	46	95419	Advanz™ CG Saw Blade	33
94312	Meatkutter™ Premium Band Saw (MKP)	46	95421	Advanz™ CG Saw Blade	33
94314	Meatkutter™ Premium Band Saw (MKP)	46	95422	Advanz™ CG Saw Blade	33
94315	Meatkutter™ Premium Band Saw (MKP)	46	95423	Advanz™ CG Saw Blade	33
94316	Meatkutter™ Premium Band Saw (MKP)	46	95425	Advanz™ CG Saw Blade	33
94317	Meatkutter™ Premium Band Saw (MKP)	46	95430	Advanz™ CG Saw Blade	33
94318	Meatkutter™ Premium Band Saw (MKP)	46	95431	Advanz™ CG Saw Blade	33
94319	Meatkutter™ Premium Band Saw (MKP)	46	95432	Advanz™ CG Saw Blade	33
94321	Meatkutter™ Stainless Band Saw (MKS)	47	99078	Intenss™ PRO-DIE Band Saw	23
94322	Meatkutter™ Stainless Band Saw (MKS)	47	99079	Intenss™ PRO-DIE Band Saw	23
94325	Meatkutter™ Premium Band Saw (MKP)	46	99080	Intenss™ PRO-DIE Band Saw	23
94326	Meatkutter™ Premium Band Saw (MKP)	46	99087	Intenss™ PRO-DIE Band Saw	23
94328	Meatkutter™ Premium Band Saw (MKP)	46	99093	Intenss™ PRO-DIE Band Saw	23
94357	Meatkutter™ Frozen Band Saw (MKF)	49	99102	Intenss™ PRO-DIE Band Saw	23
94360	Meatkutter™ Frozen Band Saw (MKF)	49	99109	Intenss™ Band Saw Blade	24
94361	Meatkutter™ Frozen Band Saw (MKF)	49	99122	Intenss™ PRO-DIE Band Saw	23
94362	Meatkutter™ Frozen Band Saw (MKF)	49	99124	Intenss™ PRO-DIE Band Saw	23
94363	Meatkutter™ Frozen Band Saw (MKF)	49	99125	Intenss™ PRO-DIE Band Saw	23
94364	Meatkutter™ Frozen Band Saw (MKF)	49	99138	Intenss™ PRO-DIE Band Saw	23
94365	Meatkutter™ Frozen Band Saw (MKF)	49	99143	Intenss™ PRO-DIE Band Saw	23
94366	Meatkutter™ Frozen Band Saw (MKF)	49	99144	Intenss™ PRO-DIE Band Saw	23
94367	Meatkutter™ Frozen Band Saw (MKF)	49	99151	Intenss™ PRO-DIE Band Saw	23
94368	Meatkutter™ Frozen Band Saw (MKF)	49	99152	Intenss™ PRO-DIE Band Saw	23
94370	CarcassKutter™ Premium Band Saw (CKP)	48	99154	Intenss™ PRO-DIE Band Saw	23
94371	CarcassKutter™ Premium Band Saw (CKP)	48	99165	Intenss™ PRO-DIE Band Saw	23
94380	Meatkutter™ Frozen Bi-Metal Band Saw (MKB)	50	99167	Intenss™ PRO-DIE Band Saw	23
95123	Advanz™ DG Saw Blade	34	99171	Univerz™ Coil Stock	25
95401	Advanz™ CG Saw Blade	33	99176	Intenss™ Band Saw Blade	24
95403	Advanz™ CG Saw Blade	33	99178	Intenss™ PRO-DIE Band Saw	23
95404	Advanz™ CG Saw Blade	33	99179	Univerz™ Coil Stock	25
95406	Advanz™ CG Saw Blade	33	99180	Univerz™ Coil Stock	25
95407	Advanz™ CG Saw Blade	33	99181	Intenss™ Band Saw Blade	24
95408	Advanz™ CG Saw Blade	33	99182	Univerz™ Coil Stock	25
95410	Advanz™ CG Saw Blade	33	99184	Univerz™ Coil Stock	25
95414	Advanz™ CG Saw Blade	33	99185	Intenss™ Band Saw Blade	24
95416	Advanz™ CG Saw Blade	33	99186	Intenss™ PRO-DIE Band Saw	23
95417	Advanz™ CG Saw Blade	33	99187	Univerz™ Coil Stock	25

99188	Intenss™ PRO-DIE Band Saw	23	99577	TENNAX™-PRO Band Saw Blade	19
99190	Intenss™ PRO-DIE Band Saw	23	99578	TENNAX™-PRO Band Saw Blade	19
99191	Intenss™ PRO Band Saw Blade	22	99579	TENNAX™-PRO Band Saw Blade	19
99192	Intenss™ Band Saw Blade	24	99580	TENNAX™-PRO Band Saw Blade	19
99193	Intenss™ Band Saw Blade	24	99581	TENNAX™-PRO Band Saw Blade	19
99195	Intenss™ Band Saw Blade	24	99582	TENNAX™-PRO Band Saw Blade	19
99197	Intenss™ Band Saw Blade	24	99583	TENNAX™-PRO Band Saw Blade	19
99198	Intenss™ Band Saw Blade	24	99584	TENNAX™-PRO Band Saw Blade	19
99199	Intenss™ Band Saw Blade	24	99585	TENNAX™-PRO Band Saw Blade	19
99206	Intenss™ PRO Band Saw Blade	22	99586	TENNAX™-PRO Band Saw Blade	19
99231	Intenss™ Band Saw Blade	24	99587	TENNAX™-PRO Band Saw Blade	19
99238	Intenss™ Band Saw Blade	24	99588	TENNAX™-PRO Band Saw Blade	19
99282	Intenss™ Band Saw Blade	24	99589	TENNAX™-PRO Band Saw Blade	19
99297	Intenss™ Band Saw Blade	24	99590	TENNAX™-PRO Band Saw Blade	19
99302	Intenss™ Band Saw Blade	24	99591	TENNAX™-PRO Band Saw Blade	19
99303	Intenss™ Band Saw Blade	24	99801	Primalloy™ Band Saw Blade	20
99304	Intenss™ Band Saw Blade	24	99803	Primalloy™ Band Saw Blade	20
99307	Intenss™ Band Saw Blade	24	99804	Primalloy™ Band Saw Blade	20
99318	Intenss™ PRO Band Saw Blade	22	99805	Primalloy™ Band Saw Blade	20
99331	Intenss™ Band Saw Blade	24	99807	Primalloy™ Band Saw Blade	20
99411	Intenss™ Band Saw Blade	24	99808	Primalloy™ Band Saw Blade	20
99423	Intenss™ Band Saw Blade	24	99809	Primalloy™ Band Saw Blade	20
99424	Intenss™ Band Saw Blade	24	99902	Intenss™ PRO Band Saw Blade	22
99425	Intenss™ Band Saw Blade	24	99903	Intenss™ PRO Band Saw Blade	22
99430	Intenss™ Band Saw Blade	24	99905	Intenss™ PRO Band Saw Blade	22
99434	Intenss™ Band Saw Blade	24	99906	Intenss™ PRO Band Saw Blade	22
99484	Intenss™ PRO Band Saw Blade	22	99907	Intenss™ PRO Band Saw Blade	22
99500	Intenss™ PRO Band Saw Blade	22	99908	Intenss™ PRO Band Saw Blade	22
99567	TENNAX™-PRO Band Saw Blade	19	99912	Intenss™ PRO Band Saw Blade	22
99568	TENNAX™-PRO Band Saw Blade	19	99913	Intenss™ PRO Band Saw Blade	22
99569	TENNAX™-PRO Band Saw Blade	19	99914	Intenss™ PRO Band Saw Blade	22
99570	TENNAX™-PRO Band Saw Blade	19	99915	Intenss™ PRO Band Saw Blade	22
99571	TENNAX™-PRO Band Saw Blade	19	99917	Intenss™ PRO Band Saw Blade	22
99572	TENNAX™-PRO Band Saw Blade	19	99923	Intenss™ PRO Band Saw Blade	22
99573	TENNAX™-PRO Band Saw Blade	19	99924	Intenss™ PRO Band Saw Blade	22
99574	TENNAX™-PRO Band Saw Blade	19	99926	Intenss™ PRO Band Saw Blade	22
99575	TENNAX™-PRO Band Saw Blade	19	99927	Intenss™ PRO Band Saw Blade	22
99576	TENNAX™-PRO Band Saw Blade	19	99928	Intenss™ PRO Band Saw Blade	22

99931	Intenss™ PRO Band Saw Blade	22	BS1804-8	Bi-Metal HSS-BS Power Hacksaw	53
99933	Intenss™ PRO Band Saw Blade	22	BS1806-6	Bi-Metal HSS-BS Power Hacksaw	53
99934	Intenss™ PRO Band Saw Blade	22	BS1806-7	Bi-Metal HSS-BS Power Hacksaw	53
99937	Intenss™ PRO Band Saw Blade	22	BS1806-8	Bi-Metal HSS-BS Power Hacksaw	53
99938	Intenss™ PRO Band Saw Blade	22	BS1810-6	Bi-Metal HSS-BS Power Hacksaw	53
99941	Intenss™ PRO Band Saw Blade	22	BS2104-8	Bi-Metal HSS-BS Power Hacksaw	53
99942	Intenss™ PRO Band Saw Blade	22	BS2106-8	Bi-Metal HSS-BS Power Hacksaw	53
99943	Intenss™ PRO Band Saw Blade	22	CG4CM	Advanz™ CG Portaband	33
99947	Intenss™ PRO Band Saw Blade	22	PT92925	Band Saw Alignment Gage	60
99949	Intenss™ PRO-VTH Band Saw Blade	21	RS300-10	High-speed steel-RS Power Hacksaw	55
99950	Intenss™ PRO-VTH Band Saw Blade	21	RS350-6	High-speed steel-RS Power Hacksaw	55
99954	Intenss™ PRO-VTH Band Saw Blade	21	RS350-10	High-speed steel-RS Power Hacksaw	55
99962	Intenss™ PRO Band Saw Blade	22	RS400-4	High-speed steel-RS Power Hacksaw	55
99965	Intenss™ PRO Band Saw Blade	22	RS400-6	High-speed steel-RS Power Hacksaw	55
99967	Intenss™ PRO-VTH Band Saw Blade	21	RS400-10	High-speed steel-RS Power Hacksaw	55
99993	Intenss™ PRO-VTH Band Saw Blade	21	RS450-4	High-speed steel-RS Power Hacksaw	55
BM10B	Portaband - Univerz™	26	RS450-6	High-speed steel-RS Power Hacksaw	55
BM10	Portaband - Univerz™	26	RS450-10	High-speed steel-RS Power Hacksaw	55
BM14B	Portaband - Univerz™	26	RS500-4	High-speed steel-RS Power Hacksaw	55
BM14	Portaband - Univerz™	26	RS500-6	High-speed steel-RS Power Hacksaw	55
BM18B	Portaband - Univerz™	26	RS500-10	High-speed steel-RS Power Hacksaw	55
BM18	Portaband - Univerz™	26	RS550-4	High-speed steel-RS Power Hacksaw	55
BM24B	Portaband - Univerz™	26	RS550-6	High-speed steel-RS Power Hacksaw	55
BM24	Portaband - Univerz™	26	RS550-10	High-speed steel-RS Power Hacksaw	55
BM1014B	Portaband - Univerz™	26	RS575-4	High-speed steel-RS Power Hacksaw	55
BM1014	Portaband - Univerz™	26	RS575-6	High-speed steel-RS Power Hacksaw	55
BM1418B	Portaband - Univerz™	26	RS600-4	High-speed steel-RS Power Hacksaw	55
BM1418	Portaband - Univerz™	26	RS600-6	High-speed steel-RS Power Hacksaw	55
BS1210-5	Bi-Metal HSS-BS Power Hacksaw	53	RS650-4	High-speed steel-RS Power Hacksaw	55
BS1214-5	Bi-Metal HSS-BS Power Hacksaw	53	RS650-6	High-speed steel-RS Power Hacksaw	55
BS1406-6	Bi-Metal HSS-BS Power Hacksaw	53	RS700-4	High-speed steel-RS Power Hacksaw	55
BS1406-7	Bi-Metal HSS-BS Power Hacksaw	53	RS700-6	High-speed steel-RS Power Hacksaw	55
BS1410-5	Bi-Metal HSS-BS Power Hacksaw	53	RS850-4	High-speed steel-RS Power Hacksaw	55
BS1410-6	Bi-Metal HSS-BS Power Hacksaw	53	RS850-6	High-speed steel-RS Power Hacksaw	55
BS1414-5	Bi-Metal HSS-BS Power Hacksaw	53	RS900-2 1/2	High-speed steel-RS Power Hacksaw	55
BS1706-6	Bi-Metal HSS-BS Power Hacksaw	53	RS1000-2 1/2	High-speed steel-RS Power Hacksaw	55
BS1710-6	Bi-Metal HSS-BS Power Hacksaw	53	S7793Z	Pocket Laser Tachometer Kit	60
BS1804-7	Bi-Metal HSS-BS Power Hacksaw	53			



CONTACT US

HOW TO ORDER

Contact Starrett directly or your nearest Starrett distributor for prompt service, delivery and technical support.

GUARANTEED BLADE SATISFACTION TRIAL PROGRAM

To inquire about our Test & Trial Blade Program, call the Starrett Sales Team at 978-249-3551 or email us at sales@starrett.com

PRODUCT DEMONSTRATION

All Starrett manufacturing and branch locations and many distributors can demonstrate an array of Starrett products at work. Contact your Starrett distributor to learn more.

Starrett®
(978) 249-3551 • starrett.com

Follow us!



CORPORATE HEADQUARTERS AND MAIN FACTORY

THE L.S. STARRETT COMPANY

121 Crescent Street
Athol, MA 01331-1915 - U.S.A.

Tel: (978) 249-3551

Main Fax: (978) 249-8495

INTERNATIONAL LOCATIONS

BRAZIL

Starrett Indústria e Comércio Ltda.
Av. Laro S. Starrett 1880 - Bairro Pinheirinho
Caixa Postal 171
13306-900 Itu, São Paulo - Brazil

Tel: 55 11 2118-8200

Fax: 55 11 2118-8003

SCOTLAND

The L.S. Starrett Company Ltd.
Jedburgh TD8 6LR - Scotland

Tel: 44 (0) 1835 863501


Fax: 44 (0) 1835 863018

CHINA

Starrett Tools (Suzhou) Company Limited
Suzhou Industrial Park
No. 339. Su Hong Zhong Road
Suzhou, Jiangsu Province
P.R. China 215021

Tel: 86 512 6741940

Fax: 86 512 67415697



STARRETT PRODUCT LINES

Band Saw Blades

Force Measurement

Jobsite & Workshop Tools

Laser Measurement

Metrology Equipment

Precision Granite

Precision Ground Solutions

Precision Measuring Tools

PTA & Hand Tools

Service

Webber Gage Blocks

BAND SAW BLADES



Follow us!



Starrett®

Phone: (978) 249-3551 | Fax: (978) 249-8495
121 Crescent Street-Athol, MA 01331-1915-USA